UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/584,817	06/27/2006	Gundula Czyzewski	2003P01981WOUS	3957
	7590 09/18/200 PPLIANCES CORPOR	EXAMINER		
INTELLECTUAL PROPERTY DEPARTMENT 100 BOSCH BOULEVARD			KHAN, AMINA S	
NEW BERN, N	-		ART UNIT	PAPER NUMBER
			1796	
			NOTIFICATION DATE	DELIVERY MODE
			09/18/2009	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

NBN-IntelProp@bshg.com

Office Action Summary		Applic	Application No. Applicant(s)			
		10/584	l,817	CZYZEWSKI ET AL.		
		Exami	ner	Art Unit		
		AMINA	KHAN	1796		
Period fo	The MAILING DATE of this commun r Reply	nication appears on	the cover sheet v	vith the correspondence a	address	
A SHO WHIC - Exter after - If NO - Failui Any r	DRTENED STATUTORY PERIOD F HEVER IS LONGER, FROM THE N sions of time may be available under the provisions SIX (6) MONTHS from the mailing date of this com period for reply is specified above, the maximum si e to reply within the set or extended period for reply eply received by the Office later than three months of patent term adjustment. See 37 CFR 1.704(b).	MAILING DATE OF s of 37 CFR 1.136(a). In no nunication. tatutory period will apply an o will, by statute, cause the	THIS COMMUN o event, however, may a d will expire SIX (6) MC application to become A	ICATION. I reply be timely filed INTHS from the mailing date of this ABANDONED (35 U.S.C. § 133).		
Status						
2a)⊠	Responsive to communication(s) file This action is FINAL . Since this application is in condition closed in accordance with the pract	2b)⊡ This action is for allowance exce	s non-final. ept for formal ma	•	he merits is	
Dispositi	on of Claims					
5)□ 6)⊠ 7)□ 8)□ Applicati	Claim(s) <u>6-14</u> is/are pending in the at 4a) Of the above claim(s) is/a Claim(s) is/are allowed. Claim(s) <u>6-14</u> is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restrict on Papers	re withdrawn from				
10)	The specification is objected to by the The drawing(s) filed on is/are Applicant may not request that any objected to grant or declaration is objected to the safe of the cath or declaration is objected to the safe of the cath or declaration is objected to the safe of the cath or declaration is objected to the safe of the cath or declaration is objected to the safe of the cath or declaration is objected to the safe of the cath or declaration is objected to the safe of the cath	: a) accepted or ection to the drawing(s g the correction is req	s) be held in abeya uired if the drawin	ance. See 37 CFR 1.85(a). g(s) is objected to. See 37 (CFR 1.121(d).	
Priority u	nder 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
2) Notic 3) Inforr	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (Ination Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	PTO-948)	Paper No	Summary (PTO-413) o(s)/Mail Date Informal Patent Application 		

Art Unit: 1796

DETAILED ACTION

1. This office action is in response to applicant's amendments filed on June 4, 2009.

2. Claims 6-14 are pending. Claims 6 and 11 have been amended.

3. Claims 11-13 stand rejected under 35 USC 102(b) as being anticipated by

Barnish et al. (GB 957,944) for the reasons set forth in the previous office action.

4. Claims 6-10 and 14 stand rejected under 35 U.S.C. 103(a) as being unpatentable

over Barnish et al (GB 957,944) for the reasons set forth in the previous office action.

5. The rejection of claims 6-10 under 35 U.S.C. 112, first paragraph, as failing to

comply with the written description requirement is withdrawn in view of applicant's

amendments to the claims.

Claim Rejections - 35 USC § 112

6. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

7. Claims 6-14 are rejected under 35 U.S.C. 112, first paragraph, as failing to

comply with the written description requirement. The claim(s) contains subject matter

Art Unit: 1796

which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Claims 6 and 11 recite the limitations "mechanical agitation phase during which the wash liquid container is moved through a cycle of predetermined movements that agitate the laundry and wash liquid in the wash liquid container for the purpose of effecting the dislodgement from the laundry substances to be removed" and "the wash liquid container is not moved through a cycle of predetermined movements that agitate the laundry and wash liquid in the wash liquid container for the purpose of effecting the dislodgement from the laundry substances to be removed" which are considered new matter. The added limitation in the claim lacks literal basis in the specification as originally filed, see *Ex parte Grasselli*, 231 USPQ 393 (Bd. App. 1983) *aff'd mem.* 738 F.2d 453 (Fed. Cir. 1984).

Claims 7-10 and 12-14 are also rejected for being dependent on claim 6 and 11, respectively, and inheriting the same deficiency.

Claim Rejections - 35 USC § 103

8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 1796

9. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 10. Claims 6-10 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Barnish et al (GB patent 957,944).

With regards to claims 6, 7, 9, and 10, Barnish et al teaches a method for washing laundry in a process-controlled household washing machine comprising a wash liquid container for receiving laundry and wash liquid intended for washing the laundry (P2/L10, washing tub), wherein a heating device (P1/L31, water heater) and a temperature sensor are attached (P1/L45, thermostat), wherein water for washing is poured into the wash liquid container during a filling phase (P2/L22-25) and the temperature sensor delivers signals for the respective temperature of the water or the wash liquid to the process control system (see figure 1, circuit diagram) during the washing phase and said process control system derives commands for controlling the heating device for heating the wash liquid from the temperature signals (P1/L56-62, when water reaches the desired temperature as detected by thermostat, timer is automatically restarted and heater is turned off, see P2/L32-45) and wherein the typical washing process runs at a temperature of the water or the wash liquid at the level of a standard value (P1/L75-76, temperature value to which water is heated) with a heating

phase which begins with switching on the device and a post-wash phase without adding further heat energy, and lasts for a defined constant time from the beginning of switching on the heating device until the end of the post-wash phase (P1/L40-44, washing process starts with heater turned on and ends with the start of rinse cycle, see P3/L2-7), wherein:

the temperature of the water or the wash liquid is determined at or after the end of the filling with water (P2/L77-83, water reaches a predetermined level and engages heater, which is controlled by thermostat determining water temperature, see P1/L56-58);

that at a determined temperature of less than a standard value for the amount of water which has freshly run into the wash liquid container before the beginning of the washing process the heating device is switched on; and

that the beginning of the washing process is delayed by a defined time interval $(t_{oK^-} t_{os})$ (P1/L56-58, timer temporarily stopped while water is heated) but from there on lasts the same time as the typical washing process;

- wherein the temperature is first determined during the filling with water or wash liquid (P2/L77-83, water reaches a predetermined level and engages heater, which is controlled by thermostat determining water temperature, see P1/L56-58) and before or during switching off the heating device (P1/L56-62, when water reaches the desired temperature as detected by thermostat, timer is automatically restarted and heater is turned off); (claim 7)

- wherein the time interval (t_{OK} - t_{Os}) is defined by reaching the standard value (P1/L56-58, timer temporarily stopped while water is heated, when water reaches the desired temperature as detected by thermostat, timer is automatically restarted and heater is turned off, see P1/L56-62, this would constitute a time interval); (claim 9)

- wherein the time interval (t_{OK} - t_{0s}) has a pre-defined length (P1/L40-44). (claim 10)

Barnish et al teaches a method for washing laundry in a washing machine comprising a process control system (see figure 1, circuit diagram) for controlling operation of the washing machine, a wash liquid container for receiving laundry and water (P2/L10, washing tub), a heating device for heating the water within the wash liquid container (P1/L31, water heater), and a temperature sensor for detecting the temperature of the water (P1/L45, thermostat), the method comprising the acts of:

providing wash liquid to the wash liquid container during a during a filling phase (P2/L22-25);

detecting an initial temperature of the water with the temperature sensor (P2/L77-83, water reaches a predetermined level and engages heater, which is controlled by thermostat determining water temperature, see P1/L56-58);

activating the heating device to heat the water during a heating phase (P2/L77-83, water reaches a predetermined level and engages heater, which is controlled by thermostat determining water temperature, see P1/L56-58);

performing a delay phase if the temperature of the water is below a predetermined standard value (P1/L56-58, timer temporarily stopped while water is heated), the delay phase continuing until the temperature of the water reaches the standard value (P3/L17-32, when set on "high" temperature, delay continues until water reaches "medium" temperature, as detected by thermostat, and motor is started);

performing a washing phase and continuing the wash phase for a pre-determined period of time (P3/29-32, in the "high" setting, water or washing liquid is heated for a definite time after reaching "medium" temperature);

turning off the heating device when the temperature of the water reaches a predetermined washing temperature (P3/L48-52);

- wherein the duration of the washing phase has a pre-defined length (P3/29-32, in the "high" setting, water or washing liquid is heated for a definite time after reaching "medium" temperature); (claim 12)
- wherein the duration of the delay phase is variable in response to the period of time required for the temperature of the water to reach the standard value (P1/L56-58, timer temporarily stopped while water is heated, when water reaches the desired temperature as detected by thermostat, timer is automatically restarted and heater is turned off, see P1/L56-62. Since the time it takes to heat a certain amount of water or wash liquid depends on its specific heat, quantity, and initial temperature, time required to heat water or wash liquid will inherently vary assuming thermal power output of water heater is not adjustable). (claim 13)

With regards to claims 6, 8 and 14, Barnish et al does not teach the method wherein the standard value lies in the range of 10 °C to 15.

Since the instant specification is silent to unexpected results, the standard value is not considered to confer patentability to the claim. As energy conserved is a variable that can be modified by adjusting the standard value, the standard value would have been considered a result effective variable by one having ordinary skill in the art at the time the invention was made. As such, without showing unexpected results, the claimed standard value cannot be considered critical. Accordingly, one of ordinary skill in the art at the time the invention was made would have optimized, by routine experimentation, the standard value such that the time required for heating could be minimized and, thereby, energy can be conserved (*In re Boesch*, 617 F.2d. 272, 205 USPQ 215 (CCPA 1980)), since it has been held that where the general conditions of the claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. (*In re Aller*, 105 USPQ 223).

Regarding claim 6, the "low" wash and "medium" wash cycles differ by 2 minutes in their duration. This difference is considered close enough that it would be expected to encompass similar washing results. A *prima facie* case of obviousness exists where the claimed ranges and prior art ranges do not overlap but are close enough that one skilled in the art would have expected them to have the same properties, see *Titanium MetalsCorp. of America v. Banner*, 778F.2d 775, 227 USPQ 773 (Fed. Cir. 1985). See MPEP 2144.05I.

Regarding the limitation of agitation during the wash process but not during the delay interval, Barnish et al. clearly teaches the contacts of the timer open after 2 minutes to stop both motors whilst the water is being heated up to "medium"

temperature, whereupon the thermostat closes. This recompletes the circuit to both motors and two minutes later the contacts reclose to complete a circuit for the two motors independently of the thermostat" (page 2, right column, lines 120-130). The teaching that the motors are stopped during heating and the circuit is completed to the motors after the thermostat closes meets the limitation of agitation during the wash cycle but not during the delay heating phase.

Response to Arguments

11. Applicant's arguments filed regarding Barnish et al. have been fully considered but they are not persuasive. Regarding the limitation of agitation during the wash process but not during the delay interval, Barnish et al. clearly teaches the contacts of the timer open after 2 minutes to stop both motors whilst the water is being heated up to "medium" temperature, whereupon the thermostat closes. This recompletes the circuit to both motors and two minutes later the contacts reclose to complete a circuit for the two motors independently of the thermostat" (page 2, right column, lines 120-130). The teaching that the motors are stopped during heating and the circuit is completed to the motors after the thermostat closes meets the limitation of agitation during the wash cycle but not during the delay heating phase.

The applicant argues that the difference in the time of the "low" wash cycle of 16 minutes and the "medium" wash cycle of 16 minutes is not the same. The examiner argues that the 2 minute difference in times of the wash cycles is close enough that the washed articles would be expected to have similar levels of cleanliness. Applicants

have not demonstrated the criticality of the identical time intervals of the two cycles. Furthermore, the pre-wash or "low" wash cycle has two minutes attached to the end of the 14 minute cycle (see page 2, lines 103-108). Claims 11-13 recited nothing regarding the equivalent time intervals of the two cycles. Therefore the rejections are maintained.

Conclusion

12. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to AMINA KHAN whose telephone number is (571)272-5573. The examiner can normally be reached on Monday through Friday, 8:30-5s off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vasu Jagannathan can be reached on (571) 272-1119. The fax phone

Art Unit: 1796

number for the organization where this application or proceeding is assigned is 571-

273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Lorna M Douyon/ Primary Examiner, Art Unit 1796

/Amina Khan/ Examiner, Art Unit 1796 September 14, 2009